



PRICURATOR

Follow your instinct.





Follow your instinct.



Predator, dal 1999.

La linea Predator nasce con l'intento di offrire battelli semplici e funzionali, adatti a chi ama andare per mare senza molte pretese ma che al tempo stesso non vuole rinunciare all'eleganza, alla sicurezza e alle elevate prestazioni, caratteristiche che da sempre contraddistinguono i battelli di Italboats.

Predator è rivolta ad un'ampia schiera di utenze, proponendo varie soluzioni sia per uso diportistico che professionale.



Predator, since 1999.

the primary objective of the Predator line is to offer simple and functional Ribs, for those who love to go boating without "frills" but at the same time still want elegance, safety and high performances, features that have always characterized Italboats Ribs.

Predator line is designed to satisfy a wide range of users, offering different solutions for both recreational and professional use.



**AS Line**

	Index - Indice	pag.
<b>Predator 470</b>		2
<b>Predator 500CC</b>		3
<b>Predator 540</b>		4
<b>Predator 570</b>		5
<b>Predator 599</b>		6
<b>Predator 599 TS</b>		7
<b>Predator 650 Touring</b>		8
<b>Predator 650 TS</b>		9
<b>Predator 680</b>		10
<b>Predator 730</b>		11
<b>AVANTGARDE</b>		
<b>Predator 570 Avantgarde</b>		12



**470**



↑↓	4,74 m	👤	7
↔	2,36 m	HP MAX	90 HP
👤	260 Kg	CE Cat.	C

**500 CC**



↑↓	5,02 m	👤	7
↔	2,37 m	HP MAX	90 HP
👤	280 Kg	CE Cat.	C

# 540



↑↓	5,35 m	👤	8
↔	2,43 m	HP MAX	115 HP
👤	340 Kg	CE Cat.	C

# 570



↑↓	5,70 m	👤	9
↔	2,58 m	HP MAX	140 HP
👤	390 Kg	CE Cat.	C



**599**



↑↓	5,99 m	👤	10
↔	2,63 m	HP MAX	175 HP
👤	450 Kg	CE Cat.	C/B

**599 TS**



↑↓	5,99 m	👤	10
↔	2,63 m	HP MAX	175 HP
👤	500 Kg	CE Cat.	C/B



# 650 Touring



↑↓	6,50 m	👤	12
↔	2,67 m	HP MAX	200 HP
👤	600 Kg	CE Cat.	B

# 650 TS



↑↓	6,50 m	👤	12
↔	2,67 m	HP MAX	200 HP
👤	600 Kg	CE Cat.	B



**680**



↑↓	6,75 m	👤	12
↔	2,69 m	HP MAX	200 HP
👤	620 Kg	CE Cat.	B

**730**



↑↓	7,40 m	👤	14
↔	2,90 m	HP MAX	250 HP
👤	800 Kg	CE Cat.	B



# 570 AVANTGARDE



↑↓	5,70 m	↔	2,58 m	👤	400 Kg	👤	9	HP MAX	140 HP	CE Cat.	C
----	--------	---	--------	---	--------	---	---	--------	--------	---------	---



Caratteristiche tecniche <i>Technical specifications</i>	470	500 CC	540	570	599	599 TS	650 Touring	650 TS	680	730	570 Avantgarde
Lunghezza fuori tutto (m) <i>Overall length</i>	4,74	5,02	5,35	5,70	5,99	5,99	6,50	6,50	6,75	7,40	5,70
Lunghezza interna calpestabile (m) <i>Internal length</i>	4,02	4,25	4,59	4,91	5,20	5,55	5,80	5,80	5,98	6,38	4,91
Larghezza fuori tutto (m) <i>Overall width</i>	2,36	2,37	2,43	2,58	2,63	2,63	2,67	2,67	2,69	2,90	2,58
Larghezza interna calpestabile (m) <i>Internal width</i>	1,17	1,73	1,21	1,31	1,40	1,40	1,74	1,74	1,45	1,64	1,31
Peso (kg) <i>Weight</i>	260	280	340	390	450	500	600	600	620	800	400
Portata persone <i>Person capacity</i>	7	7	8	9	10	10	12	12	12	14	9
Potenza massima <i>Max power</i>	90 HP	90 HP	115 HP	140 HP	175 HP	175 HP	200 HP	200 HP	200 HP	250 HP	140 HP
Ø Tubolare (cm) <i>Tube ø</i>	51÷57	51÷57	50÷62	50÷60	50÷60	50÷60	50÷60	50÷60	50÷60	42÷66	50÷60
Numero camere <i>Number of air compartments</i>	5	5	5	5	5	5	5	5	5	6	5
Categoria di progettazione CE <i>CE certification category</i>	C	C	C	C	C/B	C/B	B	B	B	B	C
Capacità serbatoio carburante (lt) <i>Fuel tank capacity</i>	-	100	100	100	150	150	180	180	250	250	100
Albero motore <i>Engine Shaft</i>	1 L -	1 L -	1 L -	1L -	1 L -	1 L -	1 XL -	1 XL -	1 XL -	1 XXL 2 XL	1 L -



Official Dealer



ITALBOATS S.r.l.  
Via M. Buonarroti, 29 - 20093 Cologno Monzese (MI) - ITALY  
tel. +39 02.27.30.52.53 - fax + 39 02.27.30.61.20  
www.italboats.com - info@italboats.com